

RSK 4 Backdraft Damper

4" Back-draft damper for circular duct, single

Item Number: 411112

Backdraft damper for circular ducts, manufacturedfrom galvanized sheet metal. The two bladesare spring-loaded. Every damper is built with performance in mind. The damper can be mountedvertically.


Damper blades formed from aluminum H14
3/32" diameter brass central rod
Stainless steel torsion spring
24 GA, G90 galvanized steel casing
EPBM synthetic rubber gasket



Technical parameters

| Dimensions and weights | |
|------------------------|--------|
| Weight | 0.6 lb |

Performances



Dimensions

| Model | Dia. | Length |
|--------|------|--------|
| RSK 4 | 4 | 3 1/4 |
| RSK 5 | 5 | 3 1/8 |
| RSK 6 | 6 | 3 1/8 |
| RSK 8 | 8 | 3 1/8 |
| RSK 10 | 10 | 3 |
| RSK 12 | 12 | 3 |

Dimensions are in inches.

| Documents | | |
|------------------------------|--|--|
| 401818 RSK OIPM EN FR ES.pdf | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |